

Literature folder listing publications on Fertilase®, OCTAX Laser Shot™, Octax NaviLase™

Original articles

1994 – 1997

Rink K., Delacrétaz G., René P. Salathé (1994) Laser surgery at the micrometer scale: Possibilities and limits. Proceedings SPIE Vol. 2323, Laser Interaction with Hard and Soft Tissue II, 262–272.

Rink K., Delacrétaz G., Salathé R., Senn A., Nocera D., Germond M., Fakan S. (1994) 1.48 µm diode laser microdissection of the zona pellucida of mouse zygotes. Proceedings SPIE 2134A, Laser-Tissue Interaction V, 412-422.

Germond M., Nocera D., Senn A., Rink K., Delacrétaz G., Fakan S. (1995) Microdissection of mouse and human zona pellucida using a 1,48 µm diode laser beam: efficacy and safety of the procedure. Fertil. Steril. 64,604-611.

Germond M., Senn A., Rink K., Delacrétaz G., De Grandi P. (1995) Is assisted hatching of frozen-thawed embryos enhancing pregnancy outcome in patients who had several previous nidation failures? Journal für Fertilität und Reproduktion, 41-42.

Rink K., Descloux L., Delacrétaz G. (1995) Zona pellucida drilling by a 1.48 µm Laser: Influence on the biomechanics of the hatching process. Proceedings SPIE Vol. 2624, Laser-Tissue Interaction and Tissue Optics, 27-32.

Germond M., Nocera D., Senn A., Rink K., Delacrétaz G., Pedrazzini T., Hornung J.P. (1996) Improved fertilisation and implantation rates after non-touch zona pellucida micro-drilling of mouse oocytes with a 1.48 µm diode laser beam. Hum. Reprod. 11,1043-1048.

Rastegar S., Hollis A., Descloux L., Rink K., Delacrétaz G., Senn A., Nocera D., Germond M.(1996) Analysis of localized drilling of zona pellucida by 1.48 µm Diode Laser. Proceedings SPIE Vol. 2681, Laser-Tissue Interaction VII, 214-217.

Rink K., Delacrétaz G., Salathé R., Senn A., Nocera D., Germond M., De Grandi P., Fakan S. (1996) Non-contact microdrilling of mouse zona pellucida with an objective-delivered 1.48 µm diode laser. Lasers in Surgery and Medicine 18,52-62.

Zona pellucida drilling with cw mid-infrared radiation: basic and applications. Lasers and Electro-Optics; 1996 Juni 2-7, Anaheim.

Hollis A., Rastegar S., Delacrétaz G., Descloux L., Rink K. (1997) Characterization of the Thermal Field Associated with Laser Microdrilling of Zona Pellucida. Proceedings SPIE 3195, Laser-Tissue Interaction, Tissue Optics and Laser Welding III, 128-136.

Hollis A., Rastegar S., Descloux L., Delacrétaz G., Rink K. (1997) Zona pellucida microdrilling with a 1.48 µm Diode Laser. IEEE Engineering in Medicine and Biology, May/June 1997, 43-47.

Hollis. A., Rastegar S., Descloux L. Delacretaz G. and Rink K. (1997): Analysis of dynamics of zona pellucida microdrilling by a 1.48 µm diode laser. Proceedings of the 18th Annual

International Conference of the IEEE, Engineering in Medicine and Biology Society 1997, xxxiv (5),2315.

Veiga A., Sandalinas M., Benkhalifa M., Boada M., Carrera M., Santaló J., Barri P., Ménéz Y. (1997) Laser blastocyst biopsy for preimplantation diagnosis in the human. *Zygote* 5,351-354.

1998

Boada M., Carrera M., De La Iglesia C., Sandalinas M., Barri PN., Veiga A. (1998) Successful use of a laser for human embryo biopsy in preimplantation genetic diagnosis: a report of two cases. *J. Assist. Reprod. Genet.* 15(5),301-305.

Descloux L., Rastegar S., Delacrétaç G., Hollis A., Rink K. (1998) Kinetics of Zona Pellucida Thermo-dissolution in Mouse Zygotes. *SPIE 3195, Laser-Tissue Interaction, Tissue Optics and Laser Welding III*, 137-142.

EI-Maari O., Olek A., Balaban B., Montag M., van der Ven H., Urman B., Olek K., Caglayan S.H., Walter J., Oldenburg J. (1998) Methylation Levels at Selected CpG Sites in the Factor VIII and FGFR3 Genes in Mature Female and Male Germ Cells: Implications for Male Driven Evolution. *Am. J. Hum. Genet.* 63,1001-1008.

Germond M., Primi M-P, Senn A., Rink K., Descloux L., Delacretaz G. (1998) Diode laser for assisted hatching. *Photomedicine in Gynecology and Reproduction*. Karger Publishers, Basel, 2000, pp. 352-365.

2 Montag M., Baukloh V. (1998): Verbessert "Assisted Hatching" die Schwangerschaftsrate? *Reproduktionsmedizin* 14,327-329.

Montag M., van der Ven K., Delacrétaç G., Rink K., van der Ven H. (1998): Laser assisted microdissection of zona pellucida facilitates polar body biopsy. *Fertil.Steril.* 69(3),539-542.

Schmoll F., Montag M., Lammer T., Wimmers K., Delacrétaç G., Rink K., van der Ven H., Schellander K. (1998) Removal of inner cell mass of bovine IVP-blastocysts by laser irradiation. *Theriogenology* 49,226.

1999

Germond M., Primi M-P., Senn A., Rink K., Delacrétaç G. (1999) The use of lasers for micromanipulation. In: Shoham, Z., Howles, C.M., Jacobs, H.S. (Eds.) *Female Infertility Therapy – Current Practice*. Chapter 20, pp. 221-231.

Montag M., Rink K., Delacrétaç G., van der Ven H. (1999) Anwendung der Lasertechnik im Bereich der assistierten Reproduktion. *Reproduktionsmedizin* 15,45-54.

Montag M., Rink K., Delacrétaç G., van der Ven H. (1999): Anwendung des Dioden-Lasers bei der assistierten Reproduktion. In: Krebs, D., Van der Ven, H. (Eds.) *Aktuelle Reproduktionsmedizin*, Thieme Verlag, Stuttgart, New York, pp. 47-53.

Montag M., Rink K., Descloux L., Delacrétaç G., van der Ven H. (1999): The Use of a 1.48 μm Laser System in Assisted Reproduction: Laser-Drilling of the Zona Pellucida and Laser-Assisted Immobilization of Spermatozoa. *Assisted Reproduction* 9(4),205-213.

Montag M., Rink K., Dieckmann U., Delacrétaz G., van der Ven H. (1999): Laser-assisted cryopreservation of single human spermatozoa in cell-free zona pellucida. *Andrologia* 31,49-53.

Montag M., van der Ven H. (1999): Laser-Assisted Hatching in Assisted Reproduction. *Croatian Medical Journal* 40(3),398-403.

Primi M-P., Senn A., Rink K., Descloux L. Delacrétaz G., Germond M. (1999) Assisted Hatching. *Giornale Italiano di Ostetricia e Ginecologia* 1/99.

Schmoll F., Schneider H., Montag M., Rink K., Wimmers K., Tholen E., Ponsuksili S., van der Ven H., Schellander K. (1999) Laser assisted hatching in bovine in vitro produced blastocysts. Annual meeting of the International Embry Transfer Society, Québec/Canada 1999; *Theriogenology* 51(1),253.

Schöpfer B., Ludwig M., Edenfeld J, Al-Hasani S., Diedrich K. (1999) Possible applications of lasers in assisted reproductive technologies. *Hum. Reprod.* 14 (Suppl1),186-193.

2000

Montag M. and van der Ven H. (2000): Gibt es Indikationen für „assisted hatching“? *Gynäkologe* 33(11),772-776.

Montag M., Koll B., Holmes P., van der Ven H. (2000) The significance of the number of embryonic cells and the state of the zona pellucida for hatching of mouse blastocysts in vitro versus in vivo. *Biology of Reprod.* 62,1738-1744.

Montag M., Koll B., van der Ven H. (2000) Use of a laser to evaluate zona pellucida hardness at different stages of mouse embryonic development in vitro and in vivo. *J. Ass. Reprod. Gen.* 17,178-179.

Montag M., Lemola R., van der Ven H. (2000) A new method to produce equally-sized hemizonae pellucidae for the hemizona assay. *Andrologia* 32,179-180.

Montag M., Rink K., Delacrétaz G., van der Ven H. (2000) Laser in Assisted Reproduction. In: Rabe, T., Diedrich, K., Strowitzki, T. (Eds.) *Manual on Assisted Reproduction*. Springer Verlag, Heidelberg, pp. 473-487.

Montag M., Rink K., Delacrétaz G., van der Ven H. (2000) Laser-induced immobilization and plasma membrane permeabilization in human spermatozoa. *Hum. Reprod.* 15(4),846-852.

Montag M., van der Ven H. (2000) Gibt es Vorteile des Assisted hatching? Inwieweit ist mit Gefahren des assisted hatching für den sich entwickelnden Embryo zu rechnen? *Reproduktionsmedizin* 16(1),62-63.

2001

Blake D.A., Forsberg A.S., Johansson B.R., Wikland M. (2001) Laser zona pellucida thinning – an alternative approach to assisted hatching. *Hum. Reprod.* 16(9),1959-1964.

- Ebner T., Yaman C., Moser M., Sommergruber M., Hartl J., Tews G. (2001) Laser assisted immobilization of spermatozoa prior to intracytoplasmic sperm injection in humans. *Hum. Reprod.* 16(12),2628-2631.
- Malter H.E., Schimmel T., Cohen J., (2001) Zona dissection by infrared laser: developmental consequences in the mouse, technical considerations, and controlled clinical trial. *RBM Online* 3(2),117-123.
- Mantoudis E., Podsiadly B.T., Gorgy A., Venkat G., Craft I.L. (2001) A comparison between quarter, partial and total laser assisted hatching in selected infertility patients. *Hum. Reprod.* 16(10),2182-2186.
- Montag M., van der Ven H. (2001) Kritische und befürwortende Betrachtungen zur Diskussion über den Stellenwert der Technik des Assisted Hatching. *Reproduktionsmedizin* 17(2),108-111.
- Montag M., van der Ven H. (2001) The Impact of Diode Laser Technology in Assisted Reproduction. *IVF-News Organon* 4,13-17.
- Montag M., van der Ven H. (2001) The Use of a 1.48 µm Diode Laser in Assisted Reproduction. In: Kumar, A., Mukhopadhyay, A.K. (Eds.) *Follicular Growth Ovulation and Fertilization: Molecular and Clinical Basis*. Narosa Publishing House, New Dehli, pp. 240-249.
- Rienzi L., Greco E., Ubaldi F., Iacobelli M.L., Martinez F., Tesarik J. (2001) Laser-assisted intracytoplasmic sperm injection. *Fertil. Steril.* 76(5),1045 – 1047.
- Tesarik J., Nagy Z.P., Sousa M., Mendoza C., Abdelmassih R. (2001) Fertilizable oocytes reconstructed from patient's somatic cell nuclei and donor ooplasts. *RBM Online* 2(3),160-164.

2002

- Abdelmassih S., Cardoso J., Abdelmassih V., Dias J.A., Abdelmassih R., Nagy Z.P. (2002) Laser-assisted ICSI: a novel approach to obtain higher oocyte survival and embryo quality rates. *Hum. Reprod.* 17(10),2694 – 2699.
- Ebner T., Moser M., Wiesinger R., Dunzinger M., Tews G. (2002) Einsatz eines 1,48 µm Lasers für die Immobilisation von ejakulierten, epididymalen und testikulären Spermatozonen in der intrazytoplasmatischen Spermieninjektion. *J. Urol. Urogynäkol.* 9(4),7-12.
- Ebner T., Moser M., Yaman C., Sommergruber M., Hartl J., Jesacher K., Tews G. (2002) Prospective hatching of embryos developed from oocytes exhibiting difficult oolemma penetration during ICSI. *Hum. Reprod.* 17(5),1317-1320.
- Ebner T., Moser M., Yaman C., Sommergruber M., Tews G. (2002) Successful birth after laser assisted immobilization of spermatozoa before intracytoplasmic injection. *Fertil. Steril.* 78(2),417-418.
- Hsieh Y.-Y., Huang C.-C., Cheng T.-C., Chang C.-C, Tsai H.-D., Lee M.-S.(2002) Laser-assisted hatching of embryos is better than the chemical method for enhancing the pregnancy rate in women with advanced age. *Fertil. Steril.* 78(1),179-182.
- Montag M., van der Ven H. (2002) Unerfüllter Kinderwunsch. Ihr Kinderlein kommet – mit neuen Techniken zum Erfolg. *Gynäkologie + Geburtshilfe* 3/2002,52-57.

Montag M., van der Ven K., van der Ven H. (2002) Erste klinische Erfahrungen mit der Polkörperdiagnostik in Deutschland. *J. Fertil. Reprod.* 4/2002,7-12.

Rienzi L, Nagy Z.P., Ubaldi F., Jacobelli M., Anniballo R., Tesarik J., Greco E. (2002) Laser-assisted removal of necrotic blastomeres from cryopreserved embryos that were partially damaged. *Fertil. Steril.* 77(6),1196 – 1201.

van der Ven H., Montag M., van der Ven K. (2002) Schwangerschaft nach Polkörperbiopsie und Fluoreszenz-in situ-Hybridisierung (FISH) der Chromosomen 13, 16, 18, 21 und 22. *Geburtsh. Frauenheilk.* 62,585-588.

2003

Debrock S., Spiessens C., Afschrift H., Van der Auwera I., M. D'Hooghe T. (2003) Application of the Fertilase®-Laser system versus the conventional mechanical method to immobilize spermatozoa for intracytoplasmic sperm injection. *Gynecol Obstet Invest* 56:102-105

Ebner T., Moser M., Sommergruber M., Gaiswinkler U., Wiesinger R., Puchner M., Tews G. (2003) Presence, but not type or degree of extension, of a cytoplasmic halo has a significant influence on preimplantation development and implantation behaviour. *Hum. Reprod.* 18(11),2406-2412.

Han T.S., Sagoskin A.W., Graham J.R., Tucker M.J., Liebermann J. (2003) Laser-assisted human embryo biopsy on the third day of development for preimplantation genetic diagnosis: two successful case reports. *Fertil. Steril.* 80(2),453-455.

Joris H. , De. Vos A., Janssens R., Devroey P., Liebaers I., van Steirteghem A. (2003) Comparison of the results of human embryo biopsy and outcome of PGD after zona drilling using acid Tyrode medium or a laser. *Hum. Reprod.* 18(9),1896-1902.

Nagy Z.P (2003) Micromanipulation of the human oocyte. *RBM Online* 7 (Comp 1),81-87.

Schmoll F., Schneider H., Montag M., Wimmers K., Rink K., Schellander K., (2003) Effects of different laser-drilled openings in the zona pellucida on hatching of in vitro-produced cattle blastocysts. *Fertil. Steril.* 80 (Suppl.),714-719.

Wong B.C., Boyd C.A., Lanzendorf S.E. (2003) Randomized controlled study of human zona pellucida dissection using the Zona Infrared Laser Optical System: evaluation of blastomere damage, embryo development, and subsequent hatching. *Fertil. Steril.* 80(5),1249-1254.

2004

Aktan. T.M., Montag. M., Duman, S., Gorkemli, H., Rink, K., Yurdakul, T. (2004) Use of a laser to detect viable but immotile spermatozoa. *Andrologia* 36,366-369.

Baart E.B., van Opstal D., Los F.J., Fauser B.C.J.M., Martini E (2004) Fluorescence in situ hybridization analysis of two blastomeres from day 3 frozen-thawed embryos followed by analysis of the remaining embryo on day 5. *Hum. Reprod.* 19(3),685-693.

- Chang C.Y., Lin Y.C., Huang F.J., Kung F.T., Chang S.Y. (2004) Modified laser-assisted zonal opening method for human embryo biopsy in preimplantation genetic diagnosis: preliminary experience. *J. Reprod. Med.* 49(5),345-352.
- Imthurn B., Achermann J, Klug Arter M., Macas E. (2004) Preimplantation diagnosis in Switzerland – birth of a healthy child after polar body biopsy. *Swiss Med Wkly* 134,259-261.
- Kanyo K., Konc J., Solti L., Cseh S. (2004) Assisted reproductive research: laser assisted hatching and spindle detection (spindle view technique). *Acta Vet. Hung.* 52(1),113-123.
- Melotte C., Debrock S., D’Hooghe T., Fryns J.P., Vermeesch J.R. (2004) Preimplantation genetic diagnosis for an insertional translocation carrier. *Hum. Reprod.* 19(12),2777-2783.
- Montag M., van der Ven K., Dorn Ch., van der Ven H. (2004) Outcome of laser-assisted polar body biopsy and aneuploidy testing. *RBM Online* 9(4),425-429.
- Moser M., Ebner T., Sommergruber M., Gaisswinkler U., Jesacher K., Puchner M., Wiesinger R., Tews G (2004) Laser-assisted zona pellucida thinning prior to routine ICSI. *Hum. Reprod.* 19(3),573-578.
- Nagy Z.P.(2004) Micromanipulation of the human oocyte. *RBM Online* 7(6),634-640.
- Primi M.-P., Senn A., Montag M., Van der Ven H., Mandelbaum J., Veiga A., Barri P., Germond M. (2004) A European multicentre prospective randomized study to assess the use of assisted hatching with a diode laser and the benefit of an immunosuppressive/antibiotic treatment in different patient populations. *Hum. Reprod.* 19(10),2325-2333.
- Rienzi L., Ubaldi F., Martinez F., Minasi M.G., Iacobelli M., Ferrero S., Tesarik J., Greco E. (2004) Clinical application of laser-assisted ICSI: a pilot study. *Eur. J. Obstet. Gynecol. Reprod. Biol.* Jul 1; 115 Suppl. 1,77-79.

2005

- Cıray H.N., Bener F., Karagenc L., Ulug U., Bahceci M. (2005) Impact of assisted hatching on ART outcome in women with endometriosis. *Hum. Reprod.* 20(9),2546-2549.
- Ebner T., Moser M., Tews G. (2005) Possible applications of a non-contact 1.48 µm wavelength diode laser in assisted reproduction technologies. *Hum. Reprod. Update* 11(4):425-35.
- McArthur S., Leigh D., Marshall, J.T., de Boer K.A., Jansen, R.P.S. (2005) Pregnancies and live births after trophectoderm biopsy and preimplantation genetic testing of human blastocysts. *Fertil. Steril.* 84(6),1628-1636.
- Petersen C.G., Mauri A.L., Baruffi R.L., Oliveira J.B., Massaro F.C., Elder K., Franco J.G.Jr. (2005) Implantation failures: success of assisted hatching with quarter-laser zona thinning. *Reprod. Biomed. Online* 10(2),224-229.
- Rienzi L., Ubaldi F., Iacobelli M., Minasi M.G., Romano S., Ferrero S., Sapienza F., Baroni E., Tesarik J., Greco E. (2005) Developmental potential of fully intact and partially

damaged cryopreserved embryos after laser-assisted removal of necrotic blastomeres and post-thaw culture selection. *Fertil. Steril.* 84(4):888-894.

2006

Ewerling S., Hofmann A., Klose R., Weppert M., Brem G., Rink K., Pfeifer A., Wolf E. (2006) Evaluation of laser-assisted lentiviral transgenesis in bovine. *Transgenic Res.* 15(4):447-54.

Ghobara T.S., Cahill D.J., Ford W.C.L., Collyer H.M., Wilson P.E., Al-Nuaim L., Jenkins J.M. (2006) Effects of assisted hatching method and age on implantation rates of IVF and ICSI. *RBMOnline* 13(2):261-267.

Jasper M.J., Hu D.G., Liebelt J., Sherrin D., Watson R., Tremellen K.P., Hussey N.D. (2006) Singleton births after routine preimplantation genetic diagnosis using exclusion testing (D4S43 and D4S126) for Huntington's disease. *Fertil.Steril.* 85 (3):597-602

Spits C., De Rycke M., Verpoest W., Lissens W., Van Steirteghem A., Liebaers I., Sermon K. (2006) Preimplantation genetic diagnosis for Marfan syndrome. *Fertil. Steril.* 86 (2):310-320

Tomi D. (2006) First pregnancy and life after preimplantation genetic diagnosis by polar body analysis for mucopolysaccharidosis type I. *Reprod. Biomed. Online* 12(2),215-220.

Yano K., Kubo T., Ohashi I., Yano C. (2006) Assisted hatching using a 1.48 μ m diode laser: Evaluation of zona opening and zona thinning techniques in human embryos. *Reprod. Med. Biol.* 5,221.

7

2007

Cortés J.L., Cobo F., Catalina P., Nieto A., Cabrera C., Montes R., Concha A., Menendez P. (2007) Evaluation of a laser technique to isolate the inner cell mass of murine blastocysts. *Biotechnol Appl Biochem* 46:205-9

Feyereisen E., Steffann J., Romana S., Lelorc'h M., Ray P., Kerbrat V., Tachdjian G., Frydman R., Frydman N. (2007) Five years' experience of preimplantation genetic diagnosis in the Parisian Center: outcome of the first 441 started cycles. *Fertil. Steril.* 87 (1):60-73

Gonzalez-Merino E., Hans C., Abramowicz M., Englert Y., Emiliani S. (2007) Aneuploidy study in sperm and preimplantation embryos from nonmosaic 47,XYY men. *Fertil. Steril.* 88 (3):600-606

2008

Cortes J.L., Sánchez L., Catalina P., Cobo F., Bueno C., Martínez-Ramírez A., Barroso A., Cabrera C., Ligeró G., Montes R., Rubio R., Nieto A., Menendez P. (2008) Whole-blastocyst culture followed by laser drilling technology enhances the efficiency of inner cell mass isolation and embryonic stem cell derivation from good- and poor-quality mouse embryos: new insights for derivation of human embryonic stem cell lines. *Stem Cells Dev* 17(2):255-67

- Desai N, Szeptycki J, Scott M, Faten F. AH, Goldfarb J. (2008) Artificial Collapse of Blastocysts Before Vitrification: Mechanical vs. Laser Technique and Effect on Survival, Cell Number, and Cell Death in Early and Expanded Blastocysts. *Cell Preservation Technology* 6:181–190 (2008)
- Ge H.-S., Zhou W., Zhang W., Lin J.-J. (2008) Impact of assisted hatching on fresh and frozen-thawed embryo transfer cycles: a prospective, randomized study. *RBM Online* 16(4):589-596.
- Gerber P.A., Kruse R., Hirchenhain J., Krüssel J.-S., Neumann, N.J. (2008) Pregnancy after laser-assisted selection of viable spermatozoa before intracytoplasmic sperm injection in a couple with male primary cilia dyskinesia. *Fertil. Steril.* 89(6):1826.
- Landwehr C., Montag M., van der Ven K., Weber R.G. (2008) Rapid comparative genomic hybridization protocol for prenatal diagnosis and its application to aneuploidy screening of human polar bodies. *Fertil. Steril.* 90(3):488-496.
- Macas E., Merki-Feld G.S., Xie M., Stiller R., Pelczar P., Imthurn B. (2008) High survival and developmental rates of vitrified mouse zygotes following polar body biopsy. *RBM Online* 16(2):271-275.

2009

- Cortes J.L., Sanchez L., Ligeró G., Gutierrez-Aranda I., Catalina P., Elosua C., Leone P.E., Montes R., Bueno C., Ramos-Mejía V., Maleno I., García-Pérez J.L., Menendez P. (2009) Mesenchymal stem cells facilitate the derivation of human embryonic stem cells from cryopreserved poor-quality embryos. *Hum Reprod* 24(8):1844-51
- Debrock S., Spiessens C., Peeraer K., De Loecker P., Willemen D., D'Hooghe T.M. (2009) Higher implantation rate using modified quarter laser-assisted zona thinning in repeated implantation failure. *Gynecol Obstet Invest* 67:127-13.
- Frydman N., Féraud O., Bas C., Amit M., Frydman R., Bennaceur-Griscelli A., Tachdjian G. (2009) Characterization of human PGD blastocysts with unbalanced chromosomal translocations and human embryonic stem cell line derivation. *RMB Online* 19 Suppl. 4:57-70.
- Haaf T., Hahn A., Lambrecht A., Grossmann B., Schwaab E., Khanaga O., Hahn T., Tresch A., Schorsch M. (2009) A high oocyte yield for intracytoplasmic sperm injection treatment is associated with an increased chromosome error rate. *Fertil. Steril.* 91 (3):733-738
- Lan K.-C., Huang, F.-J., Kung, F.-T., Chang, S.Y. (2009) Zona-free versus laser zona-assisted hatching blastocyst transfer: a comparison of outcomes. *Fertil. Steril.* 91(5):1959-1962.
- Macas E., Mátyás G., Reuge P., Berger W., Imthurn B. (2009) Polar body biopsy for Curschmann-Steinert disease and successful pregnancy following vitrification. *RBM Online* 18(6):815-820.
- Montag M., Klose R., Köster M., Rösing B., van der Ven K., Rink K., van der Ven H. (2009) Application of non-contact laser technology in assisted reproduction. *Med Laser Appl.* 24(1):57-64

Peters D.D., Lepikhov K., Rodenacker K., Marschall S., Boersma A., Hutzler P., Scherb H., Walter J., Hrabec de Angelis M. (2009) Effect of IVF and laser zona dissection on DNA methylation pattern of mouse zygotes. *Mamm Genome* DOI 10.1007/s00335-009-9227-0

Vanneste E., Melotte C., Debrock S., D'Hooghe T., Brems H., Fryns J.P., Legius E., Vermeesch J.R. (2009) Preimplantation genetic diagnosis using fluorescent in situ hybridization for cancer predisposition syndromes caused by microdeletions. *Hum. Reprod.* 24 (6):1522-1528

Zak T., Kubiacyk B., Breborowicz G. H, Kaczmarek-Sroka A., Kaczmarek D., Dera A. (2009) Laser-assisted hatching of zona pellucida – is there an effect on implantation and pregnancy rate? Preliminary observations. *Archives of Perinatal Medicine* 15(4): 197-201

2010

Desai N., AbdelHafez F., Bedaywi M.A., Goldberg J., Falcone T., Goldfarb J. (2010) Clinical pregnancy and live births after transfer of embryos vitrified on day 3. *RBM Online* 20(6):808-813.

Kutlu P., Atvar O., Vanlioglu O.F. (2010) Laser assisted zona thinning technique has no beneficial effect on the ART outcomes of two different maternal age groups. *J Assist Reprod Genet* 27:457–461

Martinhago C.D., Vagnini L.D., Petersen C.G., Mauri A.L., Baruffi R.L., de Oliveira R.M., Franco J.G. (2010) Development of a real-time PCR method for rapid sexing of human preimplantation embryos. *RBM Online* 20 (1): 75-82

Mir P., Rodrigo L., Mateu E., Peinado V., Milán M., Mercader A., Buendía P., Delgado A., Pellicer A., Remohí J., Rubio C. (2010) Improving FISH diagnosis for preimplantation genetic aneuploidy screening. *Hum. Reprod.* 25 (7): 1812 – 1817

Peciña A., Lozano Arana M.D., García-Lozano J.C., Borrego S., Antiñolo G. (2010) One-step multiplex polymerase chain reaction for preimplantation genetic diagnosis of Huntington disease. *Fertil. Steril.* 93 (7):2411-2412

Ou Y.-C., Lan, K.-C., Huang, F.-J., Kung, F.-T., Lan, T.-H., Chang, S. Y. (2010) Comparison of in vitro fertilization versus intracytoplasmic sperm injection in extremely low oocyte retrieval cycles. *Fertil. Steril.* 93(1):96-100.

Santos M.A., Teklenburg G., Macklon N.S., Van Opstal D., Schuring-Blom G.H., Krijtenburg P.-J., de Vreeden-Elbertse J., Fauser B.C., Baart E.B. (2010) The fate of the mosaic embryo: chromosomal constitution and development of Day 4, 5 and 8 human embryos. *Hum. Reprod.* 25(8):1916-1926

Wikland M., Hardarson T., Hillensjö T., Westin C., Westlander G., Wood M., Wennerholm U.B. (2010) Obstetric outcomes after transfer of vitrified blastocysts. *Hum. Reprod.* 25 (7): 1699 - 1707

2011

- Borges E.Jr., Figueira R.C.S., Braga D.P.A.F., Pasqualtto F.F., Setti A.S., Iaconelli A.Jr. (2011) Contributing factors for the incidence of aneuploidy in intracytoplasmic sperm injection cycles. Hum. Reprod. 26 (Suppl. 1):i55 Abstracts of the 27th Annual Meeting of ESHRE
- Debrock S., Peeraer K., Spiessens C., Willemen D., De Loecker P., D'Hooghe T.M. (2011) The effect of modified quarter laser-assisted zona thinning on the implantation rate per embryo in frozen/vitrified-thawed/warmed embryo transfer cycles: a prospective randomized controlled trial. Human Reprod. 26(8):1997–2007
- Figueira R., Setti A.S., Braga D.P.A.F., Iaconelli A.Jr., Borges E.Jr. (2011) Relevance of assisted hatching in an oocyte donation program using egg-cryobanking: a prospective randomized study. Hum. Reprod. 26 (Suppl. 1):i171 Abstracts of the 27th Annual Meeting of ESHRE
- Geber S., Bossi R., Lisboa C.B., Valle M., Sampaio M. (2011) Laser confers less embryo exposure than acid tyrode for embryo biopsy in preimplantation genetic diagnosis cycles: a randomized study. Reproductive Biology and Endocrinology, 9:58
- Llanos B.A., Calderón G., López D., Fernández L., Nicolás M., Landeras J. (2011) Relationship between the thickness of the zona pellucida and the effect of Laser Assisted Hatching (LAH) on IVF/ICSI cycles in women older than 38 years. Hum. Reprod. 26 (Suppl. 1):i169 Abstracts of the 27th Annual Meeting of ESHRE
- Mercader A., Buendía P., Delgado A., ESCRICH L., Amorochó B., Simón C., Remohi J., Pellicer A., Martín J., Rubio C. (2011) Novel indications for blastocyst biopsy in a preimplantation genetic diagnosis program. Hum. Reprod. 26 (Suppl. 1):i290-1 Abstracts of the 27th Annual Meeting of ESHRE
- Norasing S., Atchajaroensatit P., Tawiwong W., Thepmanee O., Saenlao S., Aojanepong J. (2011) Clinical outcomes of fresh and vitrified blastocyst transfer regarding with or without biopsied for PGD on day 3. Hum. Reprod. 26 (Suppl. 1):i173 Abstracts of the 27th Annual Meeting of ESHRE

2012

- Aran B., Sole M., Rodríguez-Pizà I., Parriego M., Muñoz Y., Boada M., Barri P.N., Izpisua J.C., Veiga A. (2012) Vitrified blastocysts from Preimplantation Genetic Diagnosis (PGD) as a source for human Embryonic Stem Cell (hESC) derivation. J Assist Reprod Genet 29:1013-20
- de Cassia R., Figueira S., Paes de Almeida Ferreira Braga D., Setti A., Iaconelli Jr.A., Borges Jr. E., (2012) Relevance of assisted hatching in an oocyte donation programme using egg cryobanking: a prospective randomised study. European Journal of Obstetrics & Gynecology and Reproductive Biology 164:48–51
- Mondadori A.G., Ducatelli M.E., Mincman J., Gallo A., Coco F., Coco R. (2012) PGD by aCGH and QF-PCR in a couple with recurring aneuploidies. JBRA Assist. Reprod. 16(5):290-300

Setti A.S., Figueira R.S., Braga D.P., Iaconelli A. Jr., Borges E. Jr. (2012) Gender incidence of intracytoplasmic morphologically selected sperm injection-derived embryos: a prospective randomized study. *Reprod Biomed Online* 24(4):420-3

2013

Fernández R. M., Peciña A., Lozano-Arana M. D., García-Lozano J. C., Borrego S., Antiñolo G., (2013) Novel One-Step Multiplex PCR-Based Method for HLA Typing and Preimplantation Genetic Diagnosis of β -Thalassemia. *BioMed Research International*. Volume 2013, Article ID 585106

Nordhoff V., Schüring A.N., Krallmann C., Zitzmann M., Schlatt S., Kiesel L., Kliesch S. (2013) Optimizing TESE-ICSI by laser-assisted selection of immotile spermatozoa and polarization microscopy for selection of oocytes. *Andrology* 1:67-74

Yang Z., Salem S. A., Liu X, Kuang Y., Salem R. D., Liu J. (2013) Selection of euploid blastocysts for cryopreservation with array comparative genomic hybridization (aCGH) results in increased implantation rates in subsequent frozen and thawed embryo transfer cycles. *Molecular Cytogenetics* 6:32

2014

Schmutzler A.G., Acar-Perk B., Weimer J., Salmassi A., Sievers K., Tobler M., Mettler L., Jonat W., Arnold N. (2014) Sham-controlled implantation after preimplantation genetic screening by polar body biopsy and FISH. *Arch Gynecol Obstet* 289(2):439-44. doi: 10.1007/s00404-013-2945-2. Epub 2013 Jul 16

11

2015

Bronet F, Nogales MC, Martinez E, Ariza M, Rubio C, Garcia-Velasco JA, Meseguer M (2015) Is there a relationship between time-lapse parameters and embryo sex? *Fertil Steril* 103:396-401

González-Ortega C, Cancino-Villarreal P, Anaya-Torres FJ, Pérez-Peña E, Gutiérrez-Gutiérrez AM. (2015) [Impact of laser-assisted hatching (quarter technique) in poor prognosis patients]. *Ginecol Obstet Mex*. Nov;83(11):670-9. Spanish. PubMed PMID: 27311165.

Lu H.F., Peng F.S., Chen S.U., Chiu B.C., Yeh SH., Hsiao S.M. (2015) The outcomes of intracytoplasmic sperm injection and laser assisted hatching in women undergoing in vitro fertilization are affected by the cause of infertility. *Int J Fertil Steril*. 9:33-40. PMID: 25918590

Van Landuyt L, Polyzos NP, De Munck N, Blockeel C, Van de Velde H, Verheyen G.A. (2015) prospective randomized controlled trial investigating the effect of artificial shrinkage (collapse) on the implantation potential of vitrified blastocysts. *Hum Reprod*. Nov;30(11):2509-18. doi: 10.1093/humrep/dev218. Epub 2015 Sep 12. PubMed PMID: 26364080.

2016

- Darwish E., Magdi Y. (2016) Artificial shrinkage of blastocoel using a laser pulse prior to vitrification improves clinical outcome. *J Assist Reprod Genet.* 33:467-471.
- Herrero L., Basile N., Garcia Velasco J., Costa Borges N., Calderon G. (2016) A systematic study using a laser reveals differences in the blastocyst hatching rate and clinical outcomes between two different methods: classic assisted hatching and zona thinning. *Fertil. Steril.* :e309; ASRM P-539
- Kanyo K, Zeke J, Kriston R, Szücs Z, Cseh S, Somoskoi B, Konc J. (2016) The impact of laser-assisted hatching on the outcome of frozen human embryo transfer cycles. *Zygote.* 2016 Oct;24(5):742-7. doi: 10.1017/S0967199416000058. Epub Mar 9. PubMed PMID: 26957232.
- Tulay P, Gultomruk M, Findikli N, Bahceci M (2016) Number of embryos biopsied as a predictive indicator for the outcome of preimplantation genetic diagnosis by fluorescence in situ hybridisation in translocations: Do cases. *Zygote* 24:107-114
- Tulay P, Gultomruk M, Findikli N, Bahceci M (2016) PGD management scheme for older females with balanced translocations: Do older females have less chance of balanced embryo transfer? *J Turk Ger Gynecol Assoc* 17:91-95
- Ueno S, Ezoe K, Yabuuchi A, Uchiyama K, Okimura T, Okuno T, Kobayashi T, Kato K. (2016) Complete zona pellucida removal from vitrified-warmed human blastocysts facilitates earlier in-vitro attachment and outgrowth. *Reprod Biomed Online* 33:140-148. PubMed PMID: 27263071

12

2017

- Safari S, Ali Khalili M, Barekati Z, Halvaei I, Anvari M, Nottola SA. (2017) Cosmetic micromanipulation of vitrified-warmed cleavage stage does not improve ART outcomes: An ultrastructural study of fragments. *Reprod Biol*; 17:210-217.
- Kelk DA, Sawarkar SS; Liu Y, Dufton M, Ribustello L, Munné S (2017) Does laser assisted biopsy introduce mosaic or chaotic changes to biopsied cells? *Fertil Steril*;110:e88 (ASRM O-215)
- Nogales MDC, Bronet F, Basile N, Martinez EM, Linan A, Rodrigo L, Meseguer M (2017) Type of chromosome abnormality affects embryo morphology dynamics. *Fertil Steril* 107:229-235
- Yano K., Hashida N., Kubo T., Ohashi I., Koizumi A., Kageura R., Furutani K., Yano C. (2017) Repeated collection of conjoined oocytes from a patient with polycystic ovary syndrome, resulting in one successful live birth from frozen thawed blastocyst transfer: a case report. *J Assist Reprod Genet.* 34:1547-1552. doi: 10.1007/s10815-017-1012-5. Pubmed PMID: 28780721

2018

- De los Santos MJ, Juan AD, Mifsud A, Mercader A, Meseguer M, Rubio C, Pellicier A (2018) Variables associated with mitochondrial copy number in human blastocysts: what can we learn from trophectoderm biopsies? *Fertil Steril*;109:110-117

- Criscuolo T.S., Siqueira T.W., Santos J.F., Sampaio D.V., Ferreira C.L., Coslovsky M., Yadid I.M. (2018) Efficacy of quarter-laser zona pellucida assisted hatching in frozen-thawed blastocyst transfers *Fertil. Steril.* 110(4):e217. <https://doi.org/10.1016/j.fertnstert.2018.07.627>
- Jeong JE, Joo BS, Kim CW, Kim HG, Joo JK, Lee KS. (2018) Effects of three-area laser-assisted zona thinning in 8-cell human embryos on pregnancy outcomes in vitro fertilization. *Clin Exp Reprod Med* 45(1):25-30.
- Liñán A, Lawrenz B, El Khatib I, Bayram A, Arnanz A, Rubio C, Chopra R, Fatemi HM (2018) Clinical reassessment of human embryo ploidy status between cleavage and blastocyst stage by Next Generation Sequencing. *PLoS One.* 13:e0201652. doi: 10.1371/journal.pone.0201652
- Schenk M, Groselj-Strele A, Eberhard K, Feldmeier E, Kastelic D, Cerk S, Weiss G. (2018) Impact of polar body biopsy on embryo morphokinetics – back to the roots of preimplantation genetic testing? *J Assist Reprod Genet*; 35:1521-1528.
- Tsuiko O, Zhigalina DI, Jatsenko T, Skyrabin NA, Kanbekova OR, Artyukhova VG, Svetlakov AV, Teearu, K, Trosin A, Salumets A, Kurg A, Lebedev IN. (2018) Karyotype of the blastocoel fluid demonstrates low concordance with both trophectoderm and inner cell mass. *Fertil Steril*; 109:1127-1134
- Vera-Rodriguez M, Diez-Juan A, Jimenez-Almazan J, Martinez S, Navarro R, Peinado V, Mercader A, Meseguer M, Blesa D, Moreno I, Valbuena D, Rubio C, Simon C (2018) Origin and composition of cell-free DNA in spent culture medium from human embryo culture during preimplantation development. *Hum Reprod* 33:745-756

2019

- Anderson A. R., Taylor D., Williams E. A., Covington D., Arredondo F. (2019) PGT in fresh and frozen donor oocytes cycles. *Fertil. Steril*;112:e218; ASRM P-277
- Asoglu MR, Celik C, Karakis LS, Findikli N, Gultomruk M, Bahceci M (2019) Comparison of daily vaginal progesterone gel plus weekly intramuscular progesterone with daily intramuscular progesterone for luteal phase support in single, autologous euploid frozen-thawed embryo transfers. *J Assist Reprod Genet* 36:1481-1487
- Bayram A, De Munck N, El Khatib I, Arnanz A, Linan A, Lawrenz B, Fatemi HM. (2019) Cleavage stage mitochondrial DNA is correlated with preimplantation human embryo development and ploidy status. *J Assist Reprod Genet*; Jul 10. doi: 10.1007/s10815-019-01520-y.
- Bjorkman SH, Nichols-Burns SM, Lo J, Kodaman N, Kodaman P, Kelk DA (2019) Day 2 laser assisted hatching (AH) significantly improves implantation rates in fresh blastocyst transfers. *Fertil Steril*;112:e292 (ASRM P-460)
- Boynukalin FK, Gultomruk M, Cavkaytar S, Turgut E, Findikli N, Serdarogullari M, Coban O, Yarkiner Z, Bahceci M (2019) Measuring the serum progesterone level on the day of transfer can be an additional tool to maximize ongoing pregnancies in single euploid frozen blastocyst transfers. *Reprod Biol Endocrinol* 17:102

- De Munck N, Linan A, El Khatib I, Bayram A, Arnanz A, Rubio C, Garrido N, Lawrenz B, Fatemi HM. (2019) mtDNA dynamics between cleavage-stage embryos and blastocysts. *J Assist Reprod Genet*; Aug 7. Doi: 10.1007/s10815-019-01544-4
- Dinh L., Dao T.T.P., Bach T.T.C., Nguyen V.L, Nguyen T.N. (2019) For absolute asthenozoospermia in IVF/ICSI: is Laser-assisted immotile sperm selection (LAISS) effective and safe? *Hum Reprod*;34 Supp1:i262 (ESHRE P-258)
- Inoue T, Uemura M, Miyazaki K, Yamashita Y. (2019) Failure of complete hatching of ICSI-derived human blastocyst by cell herniation via small slit and insufficient expansion despite ongoing cell proliferation. *J Assist Reprod Genet*; 36:1579-158
- Insua M., Escriba M., Vendrell X., Peinado V., Vilorio T. (2019) Segmental aneuploidies in blastocysts: when chromosomes break. *Fertil. Steril.*;112:e104; ASRM O-250
- Kotdawala AP, Mir P, Herrero J, Khajuria R, Lalitkumar PGL, Banker MR (2019) Embryonic aneuploidy after preimplantation genetic screening: age- and indication-matched comparative study between indian and spanish population. *J Hum Reprod Sci*;12:141-149.
- Lawrenz B, El Khatib I, Linan A, Bayram A, Arnanz A, Chopra R, De Munck N, Fatemi HM. (2019) The clinicians dilemma with mosaicism – an insight from inner cell mass biopsies. *Hum Reprod*;34(6):998-1010.
- Lee CI, Chen CH, Huang CC, Cheng EH, Chen HH, Ho ST, Lin PY, Lee MS, Lee TH. (2019) Embryo morphokinetics is potentially associated with clinical outcomes of single embryo transfers in preimplantation genetic testing for aneuploidy cycles. *RBM Online*; doi.org/10.1016/j.rbmo.2019.05.020
- Lee CI, Wu CH, Pai YP, Chang YJ, Chen CI, Lee TH, Lee, MS. (2019) Performance of preimplantation genetic testing for aneuploidy in IVF cycles of patients with advanced maternal age, repeat implantation failure, and idiopathic recurrent miscarriage. *Taiw J Obstet Gynecol*;58:239-243
- Matsunaga R., Watanabe S., Isobe K., Ohnuki Y., Miura M., Kobayashi Y., Kamihata M., Maeda T., Makino H., Ochi M., Horiuchi T. (2019) Evaluation of blastocoelic fluid, trophectoderm and Inner cell mass for chromosome analysis using Next Generation Sequencing. *Fertil. Steril.*;112:e409; ASRM P-760
- Mättner R, Maduro MR, Strehler E, Sterzik K (2019) Ovarian stimulation response and extended embryo culture, but not assisted zona hatching, correlate to monozygote multiple pregnancies. *Hum reprod*;34 Supp 1:i499-500 (ESHRE P-781)
- Mutia K, Wiweko B, Iffanolida PA, Febri RR, Muna N, Riayati O, Jasirwan SO, Yuningsih T, Mansyur E, Hestiantro A (2019) The frequency of chromosomal euploidy among 3PN embryos. *J Rerod Infertil*;20:127-131
- Rienzi L, Cimadomo D, Delgado A, Minasi MG, Fabozzi G, del Gallego R, Stoppa M, Bellver J, Giancani A, Esbert M, Capalbo A, Remohi J, Greco E, Ubaldi FM, Meseguer M (2019) Time of morulation and trophectoderm quality are predictors of a live birth after euploid blastocyst transfer: a multicenter study. *Fertil Steril* 112:1080-1093
- Sanchez-Ribas I, Diaz-Gimeno P, Sebastián-León P, Mercader A, Quinonero A, Ballestros A, Pellicier A, Dominguez F (2019) Transcriptomic behavior of genes associated with chromosome 21 aneuploidies in early embryo development. *Fertil Steril*;111:991-1001

Scarica C., Montalvo V., Novo S., Castelló C., López-Teijón M. (2019) Mosaicism in human blastocysts and technical factors of laser trophectoderm biopsy. *Hum Reprod*;34 Supp1:i390 (ESHRE P-540)

Smith G. D., Yan L., Ren Y., Keller L., Yan Z., Qiao J. (2019) Towards understanding human embryo mosaicism: regional and developmental concordance by single cell sequencing. *Fertil. Steril*;112:e104-105; ASRM O-251

Zanetti BF, Ferreira Braga DPA, Castro Azevedo M, Setti AS, Figueira RCS, Iaconelli A, Borges A (2019) Preimplantation genetic testing for monogenic diseases: a Brazilian IVF centre experience. *JBRA Assist Reprod*;23:99-105

2020

Alteri A, Guarneri C, Corti L, Restelli L, Reschini M, Giardina P, Papaleo E, Somigliana E, Viganò P, Paffoni A. (2020) ALADDIN study: does assisted hatching of vitrified/warmed blastocysts improve live birth rate? Protocol for a multicentric randomised controlled trial. *BMJ Open* 10(7):e031544. doi: 10.1136/bmjopen-2019-031544. PMID: 32690492; PMCID: PMC7371140

Anderson AR, Taylor D, Williams E, Covington D, Balthazar U (2020) Simple natural alternative procedure (SNAP) method for blastocyst biopsy. *Fertil Steril*;114 Supp 3:e164 (ASRM P-139)

Arnanz A, De Munck N, Bayram A, El-Damen A, Abdalla A, ElKhatib I, Melado L, Lawrenz B, Fatemi HM (2020) Blastocyst mitochondrial DNA (mtDNA) is not affected by oocyte vitrification: a sibling oocyte study. *J Assist Reprod Genet*;37:1387-1397. doi: 10.1007/s10815-020-01795-6. PMID: 32372301

Aoyama N, Kato K. (2020) Trophectoderm biopsy for preimplantation genetic test and technical tips: A review. *Reprod Med Biol.* 19(3):222-231. doi: 10.1002/rmb2.12318. PMID: 32684821; PMCID: PMC7360970

Boynukalin FK, Gultomruk M, Cavkaytar S, Turgut E, Findikli N, Serdarogullari M, Coban O, Yarkiner Z, Rubio C, Bahceci M (2020) Parameters impacting the live birth rate per transfer after frozen single euploid blastocyst transfer. *PLoS One* 115:e0227619

Delgado Mendive A, Mercader A, Escrich L, Beltran D, Tejera A, Grau N, Insua F, Nohales M, Mifsud A (2020) Euploidy and embryo quality with single step medium with or without renewal post assisted hatching (AH) in a PGT-A program with EmbryoScope dishes. *Hum Reprod*;35 Supp 1:i381 (ESHRE P-530)

De Munck N, El Khatib I, Abdala A, El-Damen A, Bayram A, Arnanz A, Melado L, Lawrenz B, Fatemi HM (2020) Intracytoplasmic sperm injection is not superior to conventional IVF in couples with non-male factor infertility and preimplantation genetic testing for aneuploidies (PGT-A). *Hum Reprod*;35:317-327

De Vos A, Van Landuyt L, De Rycke M, Verdyck P, Verheyen G, Buysse A, Belva F, Keymolen K, Tournaye H, Verpoest W (2020) Multiple vitrification-warming and biopsy procedures on human embryos: clinical outcome and neonatal follow-up of children. *Hum Reprod*; 35:2488-2496

- Giles J, Meseguer M, Mercader A, Vidal C, Tralalon M, Bosch E (2020) Preimplantation genetic testing for aneuploidy in patients with partial X monosomy using their own oocytes: is this a suitable indication? *Fertil Steril*;104:346-353
- Girardi L, Serdarogullari M, Patassini C, Poli M, Fabiani M, Caroselli S, Coban O, Findikli N, Boynukalin FK, Bahceci M, Chopra R, Canipari R, Cimadomo D, Rienzi L, Ubaldi F, Hoffmann E, Rubio C, Simon C, Capalbo A (2020) Incidence, origin and predictive model for the detection and management of segmental aneuploidies in human embryos. *Am J Hum Genet* 106:525-534
- Hsieh JY, Chang YP, Chuang TH, Lee MJ, Wang HL, Lai HH (2020) Laser-assisted trophectoderm biopsy does not affect the embryo ploidy and reproductive outcomes in following single euploid embryo transfer. *Hum Reprod*;35 Supp 1:i378 (ESHRE P-523)
- Ng C, Wais M, Nichols T, Garrow S, Hreinsson J, Luo ZC, Chan C (2020) Assisted hatching of vitrified-warmed blastocysts prior to embryo transfer does not improve pregnancy outcomes. *J Ovarian Res* 13:88
- Rubio C, Navarro-Sánchez L, García-Pascual C, Ocali O, Cimadomo D, Venier W, Barroso G, Kopcow L, Behceci M, Roos Kulmann ML, López L, De la Fuente E, Navarro R, Valbuena D, Sakkas D, Rienzi L, Simon C (2020) Multicenter prospective study of concordance between embryonic cell-free DNA and trophectoderm biopsies from 1301 human blastocysts. *Am J Obstet Gynecol* 223:751.e1-751.e13
- Tejera A, Alegre L, Mifsud A, De los Santos JM, Esbert M, Meseguer M (2020) Assisted hatching (AH) in collapsed blastocysts is able to restore the implantation rates: a retrospective study. *Fertil Steril*;114 Supp 3:e117 (ASRM P-21)

2021

- Baldini D, Ferri D, Baldini GM, Lot D, Catino A, Vizziello D, Vizziello G. (2021) Sperm Selection for ICSI: Do We Have a Winner? *Cells* 10(12):3566. doi: 10.3390/cells 10123566. PMID: 34944074; PMCID: PMC8700516
- Birowo P, Tendi W, Rasyid N, Turek PJ, Sini IR, Rizal M. (2021) Successful Targeted Testicular Sperm Extraction Using Microsurgical Technique (microTESE) Following Fine Needle Aspiration (FNA) Mapping in a Non-Obstructive Azoospermia (NOA) Patient: A Case Report. *J Reprod Infertil.* 22(1):65-69. doi: 10.18502/jri.v22i1.4997. PMID: 33680887; PMCID: PMC7903663
- Chen CH, Lee CI, Huang CC, Chen HH, Ho ST, Cheng EH, Lin PY, Chen CI, Lee TH, Lee MS. (2021) Blastocyst morphology based on uniform time-point assessments is correlated with mosaic levels in embryos. *Front Genet* 12:783826. doi: 10.3389/fgene.2021.783826
- Tvrdonova, K.; Belaskova, S.; Rumpikova, T.; Malenovska, A.; Rumpik, D.; Myslivcova Fucikova, A.; Malir, F. (2021) Differences in Morphokinetic Parameters and Incidence of Multinucleations in Human Embryos of Genetically Normal, Abnormal and Euploid Embryos Leading to Clinical Pregnancy. *J. Clin. Med.* 10, 5173. <https://doi.org/10.3390/jcm10215173>
- Xu W, Zhang L, Zhang L, Jin Z, Wu L, Li S, Shu J (2021) Laser-assisted hatching in lower grade cleavage stage embryos improves blastocyst formation: results from a retrospective study. *J Ovarian Res* 14:94. doi: 10.1186/s13048-021-00844-7 PMID: 34261510

Yang X, Bu Z, Hu L (2021) Live Birth Rate of Frozen-Thawed Single Blastocyst Transfer After 6 or 7 Days of Progesterone Administration in Hormone Replacement Therapy Cycles: A Propensity Score-Matched Cohort Study. *Front. Endocrinol.* 2021;12:706427. doi: 10.3389/fendo.2021.706427

2022

Baatarsuren M., Sengebaljir D., Ganbaatar C., Erdenekhuyag B., Tserendorj T., Amarsaikhan A., Dorjpurev A., Ganbat G., Boris T., Khangarid A., Jamiyansuren J (2022) Clinical and neonatal outcome of single vitrified-warmed blastocyst transfer with complete zona pellucida removal using laser-assisted hatching. *ESHRE 2022*, P-757

Bilibio JP, Lorenzoni PL, de Oliveira BM, Nascimento FL, Meireles CAJ, do Nascimento FC (2022) Associations among morphological parameters, clinical factors and euploid blastocyst formation *JBRA Assisted Reproduction* 26(2):199-207 doi: 10.5935/1518-0557.20210008

Chen D, Xu Y, Ding C, Wang Y, Fu Y, Cai B, Wang J, Li R, Guo J, Pan J, Zeng Y, Zhong Y, Shen X, Zhou C. (2022) The inconsistency between two major aneuploidy-screening platforms—single nucleotide polymorphism array and next generation sequencing—in the detection of embryo mosaicism. *BMC Genomics* 23:62 <https://doi.org/10.1186/s12864-022-08294-1>

De Munck N, Bayram A, Elkhatib I, Abdala A, El-Damen A, Arnanz A, et al. (2022) Marginal differences in preimplantation morphokinetics between conventional IVF and ICSI in patients with preimplantation genetic testing for aneuploidy (PGT-A): A sibling oocyte study. *PLoS ONE* 17(4): e0267241. <https://doi.org/10.1371/journal.pone.0267241>

Coll L, Parriego M, Carrasco B, Rodríguez I, Boada M, Coroleu B, Polyzos NP, Vidal F, Veiga A. (2022) The effect of trophoctoderm biopsy technique and sample handling on artefactual mosaicism. *J Assist Reprod Genet.* doi: 10.1007/s10815-022-02453-9. Epub ahead of print. PMID: 35294709

Karagianni M., Papadopoulou,M.I., Oraiopoulou,C., Christoforidis,N., Papatheodorou, A., Chatziparasidou A (2022) The effect of laser assisted hatching (AHA) on vitrified-warmed blastocysts post warming on reproductive outcome. *ESHRE 2022*, P-160

Keshvar Y, Sabeghi S, Sharifi Z, Fatemi KS, Fouladi P, Khah SY, Rahiminejad F, Joudaki A, Amini M, Bagherian H, Novin MG, Movahedin M, Mojbfan M, Zeinali S (2022) decade of molecular preimplantation genetic diagnosis of 350 blastomeres for beta-thalassemia combined with HLA typing, aneuploidy screening and sex selection in Iran. *BMC Pregnancy and Childbirth* 22:330 <https://doi.org/10.1186/s12884-022-04660-9>

Liñán Tegedor A, Elkhatib I, Arnanz A, Bayram A, Abdala A, Ruiz F, Shanker U, Akram A, Melado L, Patel R, Lawrenz B, Fatemi HM (2022) Is the live birth rate (LBR) in euploid frozen blastocyst transfer (FET) affected by the quality of ICM (Inner cell mass) and TE (Trophoctoderm)? *ESHRE 2022*, P-137